

NOISE Monitoring Data - Monthly Summary

Month	October 2013							
EPL Licence	13425	Project	Glenfield to Leppington Rail Line					
EPL weblink	licence&prp=no&status=Issued							
Specific EPL licence monitoring conditions for noise	M2 (Requirment to Monitor Concentration of Pollutants Discharged), M6.5 (Noise and Vibration Complaints), M7.1 & M7.4 (Other Monitoring and Recording Conditions), E1.2 (Noise and Vibration Monitoring)							
monitoring location	number of times monitored during the month	attended or continuous monitoring	event based monitoring (Y/N) Event could be OOHW or a complaint	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)	Commentary
C22 - 1682 Camden Valley Way	1	Attended	Y	Laq (15min)	51	51	56	
C32 - 99 Cowpasture Road	2	Attended	Y	Laq (15min)	47	49	61	
C31 - 111 Cowpasture Road	1	Attended	Y	Laq (15min)	48	48	61	
C49 - 133 Dickson Road	1	Attended	Y	Laq (15min)	46	46	57	
C63 - 108 Mark Road	1	Attended	N	Laq (15min)	46	46	64	

WATER Monitoring Data - Monthly Summary

Month	October 2013							
EPL Licence	13425	Project		Glenfield to Leppington Rail Line				
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/Detail.aspx?instid=13425&id=13425&option=licence&searchrange=licence&range=POEO							
Specific EPL licence monitoring conditions for water	M2 (Requirment to Monitor Concentration of Pollutants Discharged), M6.5 (Noise and Vibration Complaints), M7.1 & M7.4 (Other Monitoring and Recording Conditions), E1.2 (Noise and Vibration Monitoring)							
monitoring location	number of times monitored during month	event based monitoring (Y/N) eg. Basin discharge, rainfall event.	Parameter eg. TSS, pH, Fe, etc	units of measurement (mg/L, NTU, pH)	minimum value for month	maximum value for month	allowable minimum limit	allowable maximum limit
Point 1	0	N	Oil and Grease	Visible	n/a	n/a	None	None
			pH	pH	0	0	6.5	8.5
			Total Suspended Solids	mg/L	0	0	n/a	50

CORRECTION LOG

EPL Licence	13425	Project	Glenfield to Leppington Rail Line							
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/Detail.aspx?instid=13425&id=13425&option=licence&searchrange=licence&range=POEO									
sample date	sample time	monitoring location	type of monitoring (Noise, Water, Air, Vibration)	event based monitoring (Y/N) eg. Blast, water discharge, etc	Parameter eg. TSS, Airblast overpressure, LAEq(15min)	units of measurement (mg/L, dBL, dBA)	original result	corrected result	date corrected	reasons
30/09/2013	11:02:00 PM	C15 - 220 Jardine Drive	Noise	Y	Laq (15min)	dBA	39	n/a	01/11/2013	not included in the previous report due to not have the data available for the reporting period
30/09/2013	11:43:00 PM	C19 - 5 Cassidy Street	Noise	Y	Laq (15min)	dBA	45	n/a	01/11/2013	not included in the previous report due to not have the data available for the reporting period