NOISE Monitoring Data - Monthly Summary			
Month	**February**		
EPL Licence	**20412**	**Project**	**Clyde Connection Works**
EPL weblink	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=39021&SYSUID=1&LICID=20412		
Specific EPL licence monitoring conditions for noise	**Condition L2 - Noise limits** **Condition L3 - Hours of Operation**		

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)	Comment
1 Third Street	NA	NA	NA	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitve receiver during the month. Noise monitoring not required.
2 Factory Street	NA	NA	NA	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitve receiver during the month. Noise monitoring not required.
4 Seventh Street	NA	NA	NA	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitve receiver during the month. Noise monitoring not required.
225 Rawson Street	NA	NA	NA	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitve receiver during the month. Noise monitoring not required.