

**NOISE Monitoring Data - Monthly Summary**

<b>Month</b>	October 2014		
<b>EPL Licence</b>	20412	<b>Project</b>	Clyde Connection Works
<b>EPL weblink</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33592&amp;SYSUID=1&amp;LICID=20412">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33592&amp;SYSUID=1&amp;LICID=20412</a>		
<b>Specific EPL licence monitoring conditions for noise</b>	Condition M4.5c Attended noise or vibration monitoring in response to complaint. Condition M5.1 Noise and vibration monitoring from construction and out of hours work. Condition E1.2a)i Attended noise and vibration monitoring at representative activity stages.		

monitoring location	number of times monitored during the month	attended or continuous monitoring	event based monitoring (Y/N) Event could be OOHW or a complaint	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)	Commentary
1 Third Street	0	Attended	Y	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitive receiver during the month. Noise monitoring not required.
2 Factory Street	0	Attended	Y	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitive receiver during the month. Noise monitoring not required.
4 Seventh Street	0	Attended	Y	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitive receiver during the month. Noise monitoring not required.
225 Rawson Street	0	Attended	Y	NA	NA	NA	NA	No Out of Hours or Local Possession works were modelled to impact this sensitive receiver during the month. Noise monitoring not required.