NOISE Monitoring Data - Monthly Summary			
Month	**Oct-14**		
EPL Licence	**20241**	**Project**	**NSRU Project**
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32705&SYSUID=1&LICID=20241		
Specific EPL licence monitoring conditions for noise	**Condition E1 Requirements for Works permissible under L3.4, L3.5 and L3.6**		

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)	Comment
243 Concord West	1	Attended	Y	Laeq (15 min)	57	57	58	
4 King Street	1	Attended	Y	Laeq (15 min)	56.4	56.4	58	

VIBRATION Monitoring Data - Monthly Summary			
Month	**Oct-14**		
EPL Licence	20241	**Project**	NSRU
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32705&SYSUID=1&LICID=20241		
Specific EPL licence monitoring conditions for vibration	**Condition E1 Requirements for Works permissible under L3.4, L3.5 and L3.6**		

Monitoring location	**number of times monitored during the month**	**event based monitoring (Y/N)**	**Parameter eg. Peak particle velocity PPV, Airblast overpressure**	**units of measurement (mm/s, dBL)**	**minimum value for month**	**maximum value for month**	**allowable maximum limit**	**percentile reporting period (1 year, 1 month, etc)**	**Percentile limit* (eg. 90th%ile)**
104 Queen Street	5	N	PPV	mm/s	0.254	3.05	20	N/A	N/A