

NOISE Monitoring Data - Monthly Summary

Month	Apr-12								
EPL Licence	20079			Project	Sydney Opera House				
Specific EPL licence monitoring conditions for noise	All residences	Standard Hours Laeq, 15min 65db(A)	Out of Hours Level 1 Laeq, 15min 50db(A)	Out of Hours Level 2 Laeq, 15min 50db(A)	Out of Hours Level 2 Laeq, 1min 60db(A)				
	Out of Hours Level 1 is defined as the period from 6pm to 10pm Monday to Friday; 5pm to 10pm Saturday and 8am to 5pm Sunday								
	Out of Hours Level 2 is defined as the period from 10pm Monday to Friday to 7am Tuesday to Friday and 8am Saturday; 10pm Saturday to 8am Sunday and 5pm Sunday to 7am Monday								

monitoring location	number of times monitored during the month	attended or continuous monitoring	event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / limits dB(A)	Comment
April								
1 Macquarie St Bennelong Apartments - North façade	1	Attended	Y	Laeq, 15min	Inaudible above RBL	Inaudible above RBL	65	Standard Hours - not audible above background noise levels.
	1	Attended	Y	Laeq, 15min	Inaudible above RBL	Inaudible above RBL	50	Out of Hours Level 1 - not audible above background noise levels.
	1	Attended	Y	Laeq, 1min	Inaudible above RBL	Inaudible above RBL	60	Out of Hours Level 2 - not audible above background noise levels.

WATER Monitoring Data - Monthly Summary

Month	June							
EPL Licence	20079			Project	Sydney Opera House VAPS			
monitoring location	number of times monitored during the month	event based monitoring (Y/N)	Parameter measured	units of measurement (mg/L, NTU, pH)	minimum value for month	maximum value for month	allowable minimum limit	allowable maximum limit
Water Treatment Plant Holding Tank	6	N	pH	pH Units	6.9	7.6	6.5	8.5
	6	N	Total Suspended Solids	mg/L	< 5	15	0	50
	6	N	Oil and Grease	mg/L	< 5	3	0	10