NOISE Monitoring Data - Monthly Summary			
Month	**May-14**		
EPL Licence	**20241**	**Project**	**NSRU Project**
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32705&SYSUID=1&LICID=20241		
Specific EPL licence monitoring conditions for noise	**Condition E1 Requirements for Works permissible under L3.4, L3.5 and L3.6**		

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)	Comment
17 Queen Street	1	Attended	Y	Laeq (15 min)	65.2	65.2	75	
21 Queen Street	1	Attended	Y	Laeq (15 min)	65.1	65.1	80	
241 Queen Street	1	Attended	Y	Laeq (15 min)	66.3	66.3	68	
158 Queen Street	1	Attended	Y	Laeq (15 min)	70	70	70	
11 Settlers Boulevard	1	Attended	Y	Laeq (15 min)	58	58	69	
Mirvac Apartments	1	Attended	Y	Laeq (15 min)	65.7	65.7	70	
74A Queen Street	1	Attended	Y	Laeq (15 min)	64.1	64.1	65	
243-245 Queen St	1	Attended	Y	Laeq (15 min)	64.5	64.5	69	
17 King Street	1	Attended	Y	Laeq (15 min)	55.7	55.7	71	
2A Hamiliton Street Block B/C	1	Attended	Y	Laeq (15 min)	56.7	56.7	76	
125 Queen Street	1	Attended	Y	Laeq (15 min)	60.5	60.5	73	
37 Queen Street	1	Attended	Y	Laeq (15 min)	61.8	61.8	80	
8 King Street	1	Attended	Y	Laeq (15 min)	64.3	64.3	71	
29 Queen Street	1	Attended	Y	Laeq (15 min)	60.9	60.9	78	
19/21 Queen Street	1	Attended	Y	Laeq (15 min)	61.7	61.7	78	
27 Beronga Street	1	Attended	Y	Laeq (15 min)	60.1	60.1	81	
237-239 Queen Street	1	Attended	Y	Laeq (15 min)	59.4	59.4	67	
19-21 Stuart Street	1	Attended	Y	Laeq (15 min)	54.6	54.6	67	

VIBRATION Monitoring Data - Monthly Summary			
Month	**May-14**		
EPL Licence	20241	**Project**	NSRU
EPL weblink	http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32705&SYSUID=1&LICID=20241		
Specific EPL licence monitoring conditions for vibration	**Condition E1 Requirements for Works permissible under L3.4, L3.5 and L3.6**		

Monitoring location	**number of times monitored during the month**	**event based monitoring (Y/N)**	**Parameter eg. Peak particle velocity PPV, Airblast overpressure**	**units of measurement (mm/s, dBL)**	**minimum value for month**	**maximum value for month**	**allowable maximum limit**	**percentile reporting period (1 year, 1 month, etc)**	**Percentile limit* (eg. 90th%ile)**
33 Queen Street	5	N	PPV	mm/s	0.3	0.7	20mm/s	N/A	N/A
Arnotts Building	1	N	PPV	mm/s	1.27	1.27	7.5mm/s	N/A	N/A