VIBRATION Monitoring Data - Monthly Summary			
Month	**Jan-18**		
EPL Licence	**20544**	**Project**	**Northwest Rapid Transport - Rapid Transport Ra**
EPL weblink			
Specific EPL licence monitoring conditions for vibration	**Condition M6.5 - Complaints** **Condition M7.1 - Other Monitoring Conditions**		

monitoring location	number of times monitored during the month	event based monitoring (Y/N)	Parameter eg. Peak particle velocity PPV, Airblast overpressure	units of measurement (mm/s, dBL)	minimum value for month	maximum value for month	allowable maximum limit	Percentile limit* (eg. 90th%ile)	percentile reporting period (1 year, 1 month, etc)

*Percentile (in relation to a concentration limit of a sample): Means that percentage (e.g. 50%) of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time.

AIR Monitoring Data - Monthly Summary			
Month	**January**		
EPL Licence	**20960**	**Project**	**New Grafton Correctional Centre**
EPL weblink	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=119193&SYSUID=1&LICID=20960		
Specific EPL licence monitoring conditions for Air			

monitoring location	number of times monitored during the month	event based monitoring (Y/N)	Parameter eg. PM 10 (Particle matter < 0.01mm) or TSP (total suspended pariticles)	units of measurement (g/m2/month)	minimum value for month	maximum value for month	allowable maximum limit	Percentile limit* (eg. 90th%ile)	percentile reporting period (1 year, 1 month, etc)
Southern boundary	1	N	Total Suspended Solids	g/m2/month	0.9	0.9	No EPL requirement.	No EPL require	No EPL requirement.
			Total soilds	g/m2/month	2.9	2.9	No EPL requirement.	No EPL require	No EPL requirement.
Northern boundary	1	N	Total Suspended Solids	g/m2/month	0.6	0.6	No EPL requirement.	No EPL require	No EPL requirement.
			Total soilds	g/m2/month	2.1	2.1	No EPL requirement.	No EPL require	No EPL requirement.

*Percentile (in relation to a concentration limit of a sample): Means that percentage (e.g. 50%) of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time.

CORRECTION LOG			
EPL Licence		Project	
EPL weblink			

sample time (X.00am)	sample date (XX/XX/12)	monitoring location	type of monitoring (Noise, Water, Air, Vibration)	event based monitoring (Y/N) eg. Blast, water discharge,	Parameter eg. TSS, Airblast overpressure, LAEq(15min)	units of measurement (mg/L, dBL, dBA)	original result	corrected result	date corrected	reasons

EXCEEDANCES			
EPL Licence		Project	
EPL weblink			

sample time (X.00am)	sample date (XX/XX/XX)	monitoring location	type of monitoring (Noise, Water, Air, Vibration)	event based monitoring (Y/N) eg. Blast, water discharge, etc	Parameter eg. TSS, Airblast overpressure	units of measurement (mg/L, dBL)	result	allowable limit	commentry