

WATER Monitoring Data - Monthly Summary								
Month	Dec-20							
EPL Licence	21182	Project	Batemans Bay Bridge Replacement Project					
EPL weblink	https://app.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21182&id=21182&option=licence&searchrange=licence&range=PO							
Specific EPL licence monitoring conditions for water	Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged							
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
Sediment Basin 1 Discharge Point (Point 1)		Y	pH	pH			7	8.5
		Y	Total Suspended Solids	mg/L			NA	50
		Y	Turbidity	NTU			NA	25
		Y	Oil grease	Visible signs (Y/N)			NA	N
Sediment Basin 2 Discharge Point (Point 4)		Y	pH	pH			7	8.5
		Y	Total Suspended Solids	mg/L			NA	50
		Y	Turbidity	NTU			NA	25
		Y	Oil grease	Visible signs (Y/N)			NA	N
Temporary Sediment Basin 3 Discharge Point (Point 7)		Y	pH	pH			7	8.5
		Y	Total Suspended Solids	mg/L			NA	50
		Y	Turbidity	NTU			NA	25
		Y	Oil grease	Visible signs (Y/N)			NA	N
Groundwater discharge point (Point 8)		Y	pH	pH			7	8.5
		Y	Total Suspended Solids	mg/L			NA	50
		Y	Turbidity	NTU			NA	25
		Y	Oil grease	Visible signs (Y/N)			NA	N

Comments: NTU (turbidity), pH & visible signs of oil and grease monitored during discharge. Monitoring data displayed shows quality data from commencement of discharge event.

