

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments



WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
Comments									
AIR MONITORING DATA									
Specific EPL licence monitoring conditions for air monitoring: N/A									

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

- Condition L3.2 - Noise limits Condition
- Condition L4.2 - Exemptions to standard working hours
- Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
- Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
- Condition L4.6 - Additional works agreed outside of standard construction hours
- Condition M6.5 - Complaints
- Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--


Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

--

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--


Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

--

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--


Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

--

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments

