

| | | | |
|---|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | | | |
| http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | | |

DETAILS

| | | |
|-----------|--------|-------|
| Location: | Month: | Year: |
|-----------|--------|-------|


NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
|---------------------|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
|---------------------|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Comments



WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
Condition M6.5 - Complaints
Condition M7.1 - Other monitoring conditions

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| | | | | | | | | | |
| | | | | | | | | | |

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| |
|--|
| |
|--|

Comments

CORRECTION LOG

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

| |
|--|
| |
|--|


Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

| |
|--|
| |
|--|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
 Condition M6.5 - Complaints
 Condition M7.1 - Other monitoring conditions

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| |
|--|
| |
|--|

Comments

CORRECTION LOG

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

| |
|--|
| |
|--|


Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

| |
|--|
| |
|--|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

| VIBRATION MONITORING DATA | | | | | | | | | |
|---|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions | | | | | | | | | |
| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
| | | | | | | | | | |
| Comments | | | | | | | | | |
| | | | | | | | | | |
| AIR MONITORING DATA | | | | | | | | | |
| Specific EPL licence monitoring conditions for air monitoring: N/A | | | | | | | | | |
| | Number of | Event | | | | | | | |

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

CORRECTION LOG


| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
Condition M6.5 - Complaints
Condition M7.1 - Other monitoring conditions

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

CORRECTION LOG


| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

| VIBRATION MONITORING DATA | | | | | | | | | |
|---|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions | | | | | | | | | |
| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
| | | | | | | | | | |
| Comments | | | | | | | | | |
| | | | | | | | | | |
| AIR MONITORING DATA | | | | | | | | | |
| Specific EPL licence monitoring conditions for air monitoring: N/A | | | | | | | | | |
| | Number of | Event | | | | | | | |

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| |
|--|
| |
|--|

Comments

CORRECTION LOG

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

| |
|--|
| |
|--|


Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

| |
|--|
| |
|--|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

| VIBRATION MONITORING DATA | | | | | | | | | |
|---|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions | | | | | | | | | |
| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
| | | | | | | | | | |
| Comments | | | | | | | | | |
| | | | | | | | | | |
| AIR MONITORING DATA | | | | | | | | | |
| Specific EPL licence monitoring conditions for air monitoring: N/A | | | | | | | | | |
| | Number of | Event | | | | | | | |

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

CORRECTION LOG


| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

| VIBRATION MONITORING DATA | | | | | | | | | |
|---|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions | | | | | | | | | |
| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
| | | | | | | | | | |
| Comments | | | | | | | | | |
| | | | | | | | | | |
| AIR MONITORING DATA | | | | | | | | | |
| Specific EPL licence monitoring conditions for air monitoring: N/A | | | | | | | | | |
| | Number of | Event | | | | | | | |

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| |
|--|
| |
|--|

Comments

CORRECTION LOG

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

| |
|--|
| |
|--|


Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

| |
|--|
| |
|--|

Comments



| | | | |
|---|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | | | |
| http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | | |

DETAILS

| | | |
|-----------|--------|-------|
| Location: | Month: | Year: |
|-----------|--------|-------|

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
|---------------------|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
|---------------------|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
Condition M6.5 - Complaints
Condition M7.1 - Other monitoring conditions

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

CORRECTION LOG


| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

Comments



| | | | |
|---------------------|---|----------------------------|--|
| EPL No. | 20544 | EPL Monitoring Data |  |
| Project | Sydney Metro Northwest OTS Works | | |
| EPL Weblink: | http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued | | |

| DETAILS | | |
|-----------|--------|-------|
| Location: | Month: | Year: |

| NOISE MONITORING DATA | | | | | | | |
|--|--|-----------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------------|
| Specific EPL licence monitoring conditions for noise monitoring: | | | | | | | |
| Condition L3.2 - Noise limits Condition | | | | | | | |
| Condition L4.2 - Exemptions to standard working hours | | | | | | | |
| Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends | | | | | | | |
| Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights | | | | | | | |
| Condition L4.6 - Additional works agreed outside of standard construction hours | | | | | | | |
| Condition M6.5 - Complaints | | | | | | | |
| Condition M7.1 - Other Monitoring Conditions | | | | | | | |
| Monitoring location | Number of times monitored during the month | Attended or continuous monitoring | Event based monitoring (Y/N) | Parameter eg. Laq (15min) | min value dB(A) for month | max value dB(A) for month | goals / targets dB(A) |
| | | | | | | | |
| Comments | | | | | | | |

| WATER MONITORING DATA |
|-----------------------|
| |

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter measured | Units of measurement (mg/L, NTU, pH) | Minimum value for month | Maximum value for month | Allowable minimum limit | Allowable maximum limit |
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|---------------------|--|------------------------------|--------------------|--------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|

Comments

| VIBRATION MONITORING DATA | | | | | | | | | |
|---|--|------------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
| Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions | | | | | | | | | |
| Monitoring location | Number of times monitored during the month | Event based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
| | | | | | | | | | |
| Comments | | | | | | | | | |
| | | | | | | | | | |
| AIR MONITORING DATA | | | | | | | | | |
| Specific EPL licence monitoring conditions for air monitoring: N/A | | | | | | | | | |
| | Number of | Event | | | | | | | |

| Monitoring location | times monitored during the month | based monitoring (Y/N) | Parameter Measured | Unit of measurement | Min Value | Max Value | Allowable Max | Percentile Limit (eg 90th) | Percentile reporting period |
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|
|---------------------|----------------------------------|------------------------|--------------------|---------------------|-----------|-----------|---------------|----------------------------|-----------------------------|

Comments

CORRECTION LOG

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Original result | Corrected Result | Date Corrected | Reasoning |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|-----------------|------------------|----------------|-----------|

Comments

EXCEEDANCES

| Sample Date and Time | Monitoring location | Type of monitoring (noise, water etc) | Event based monitoring (Y/N) | Parameter Measured (eg TSS, LAEq) | Unit (eg Mg/L) | Result | Allowable Limit | Commentary |
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|
|----------------------|---------------------|---------------------------------------|------------------------------|-----------------------------------|----------------|--------|-----------------|------------|

Comments

