

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

**Comments**

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

--	--	--	--	--	--	--	--	--	--

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--	--	--	--	--	--	--	--	--	--

Comments

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--	--	--	--	--	--	--	--	--	--


Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

--	--	--	--	--	--	--	--	--

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>			
<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>			

**DETAILS**

Location:	Month:	Year:
-----------	--------	-------

**NOISE MONITORING DATA**

Specific EPL licence monitoring conditions for noise monitoring:  
 Condition L3.2 - Noise limits Condition  
 Condition L4.2 - Exemptions to standard working hours  
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends  
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights  
 Condition L4.6 - Additional works agreed outside of standard construction hours  
 Condition M6.5 - Complaints  
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

**Comments**

**WATER MONITORING DATA**

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

**Comments**

### VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

### AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

### CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

**Comments**

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

**CORRECTION LOG**


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>			
<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>			

### DETAILS

Location:	Month:	Year:
-----------	--------	-------

### NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

- Condition L3.2 - Noise limits Condition
- Condition L4.2 - Exemptions to standard working hours
- Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
- Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
- Condition L4.6 - Additional works agreed outside of standard construction hours
- Condition M6.5 - Complaints
- Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

**Comments**

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of
-----------

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

### CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

### EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

**Comments**

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

**CORRECTION LOG**


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>			
<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>			

**DETAILS**

Location:	Month:	Year:
-----------	--------	-------

**NOISE MONITORING DATA**

Specific EPL licence monitoring conditions for noise monitoring:  
 Condition L3.2 - Noise limits Condition  
 Condition L4.2 - Exemptions to standard working hours  
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends  
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights  
 Condition L4.6 - Additional works agreed outside of standard construction hours  
 Condition M6.5 - Complaints  
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------


**Comments**

**WATER MONITORING DATA**

**Specific EPL licence monitoring conditions for water monitoring:  
Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

**Comments**

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**CORRECTION LOG**


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of
-----------

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**CORRECTION LOG**


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>			
<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>			

### DETAILS

Location:	Month:	Year:
-----------	--------	-------

### NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

- Condition L3.2 - Noise limits Condition
- Condition L4.2 - Exemptions to standard working hours
- Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
- Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
- Condition L4.6 - Additional works agreed outside of standard construction hours
- Condition M6.5 - Complaints
- Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------

**Comments**

### WATER MONITORING DATA

<b>Specific EPL licence monitoring conditions for water monitoring:</b>								
<b>Condition L2 - Concentration Limits</b>								
<b>Condition M2 - Requirement to monitor concentration of pollutants discharged</b>								
<b>Monitoring location</b>	<b>Number of times monitored during the month</b>	<b>Event based monitoring (Y/N)</b>	<b>Parameter measured</b>	<b>Units of measurement (mg/L, NTU, pH)</b>	<b>Minimum value for month</b>	<b>Maximum value for month</b>	<b>Allowable minimum limit</b>	<b>Allowable maximum limit</b>

**Comments**

<b>VIBRATION MONITORING DATA</b>									
<b>Specific EPL licence monitoring conditions for vibration monitoring:</b>									
<b>Condition M6.5 - Complaints</b>									
<b>Condition M7.1 - Other monitoring conditions</b>									
<b>Monitoring location</b>	<b>Number of times monitored during the month</b>	<b>Event based monitoring (Y/N)</b>	<b>Parameter Measured</b>	<b>Unit of measurement</b>	<b>Min Value</b>	<b>Max Value</b>	<b>Allowable Max</b>	<b>Percentile Limit (eg 90th)</b>	<b>Percentile reporting period</b>
<b>Comments</b>									
<b>AIR MONITORING DATA</b>									
<b>Specific EPL licence monitoring conditions for air monitoring:</b>									
N/A									

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

**CORRECTION LOG**


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments



<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

### WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:**

**Condition L2 - Concentration Limits**

**Condition M2 - Requirement to monitor concentration of pollutants discharged**

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of
-----------

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

### CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

### EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments

