

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments



WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments



WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

--

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--------------------------------------	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

month

Comments

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
Comments									
AIR MONITORING DATA									
Specific EPL licence monitoring conditions for air monitoring: N/A									

--	--	--	--	--	--	--	--	--	--

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--	--	--	--	--	--	--	--	--	--

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--	--	--	--	--	--	--	--	--	--


Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

--	--	--	--	--	--	--	--	--

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

Empty table content

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times	Event based monitoring	Parameter measured	Units of measurement	Minimum value for	Maximum value for	Allowable minimum	Allowable maximum
---------------------	-----------------	------------------------	--------------------	----------------------	-------------------	-------------------	-------------------	-------------------

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location:	Month:	Year:

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
Comments							

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

- Condition L3.2 - Noise limits Condition
- Condition L4.2 - Exemptions to standard working hours
- Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
- Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
- Condition L4.6 - Additional works agreed outside of standard construction hours
- Condition M6.5 - Complaints
- Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

--

WATER MONITORING DATA

**Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits**

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Number of

Monitoring location	times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	----------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments



WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--

Comments

--

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

--

Comments

--

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:			
http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued			

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

CORRECTION LOG


Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments



EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS

Location:	Month:	Year:
-----------	--------	-------

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)
---------------------	--	-----------------------------------	------------------------------	---------------------------	---------------------------	---------------------------	-----------------------

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
Condition L2 - Concentration Limits
Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
---------------------	--	------------------------------	--------------------	--------------------------------------	-------------------------	-------------------------	-------------------------	-------------------------

Comments

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:
Condition M6.5 - Complaints
Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary

Comments

