

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Bella Vista Station	Month: August	Year: 2017

**NOISE MONITORING DATA**

Specific EPL licence monitoring conditions for noise monitoring:  
 Condition L3.2 - Noise limits Condition  
 Condition L4.2 - Exemptions to standard working hours  
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends  
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights  
 Condition L4.6 - Additional works agreed outside of standard construction hours  
 Condition M6.5 - Complaints  
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
		Select...	Select...	Select...			

**Comments**  
 No noise monitoring required in August 2017

**WATER MONITORING DATA**

Specific EPL licence monitoring conditions for water monitoring:  
 Condition L2 - Concentration Limits  
 Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
BV-B	1	Yes	pH	pH	6.52	6.52	6.5	8.5
BV-B	1	Yes	TSS	mg/L	19	19	0	50

**Comments**  
 BV-B discharges on the 25th August 2017

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location		Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

	Number of times monitored during the month								
--	--------------------------------------------	--	--	--	--	--	--	--	--

Select...	Select...	Select...						
-----------	-----------	-----------	--	--	--	--	--	--

**Comments**  
No vibration monitoring required in August 2017

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:  
N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--------------------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Select...	Select...	Select...						
-----------	-----------	-----------	--	--	--	--	--	--

**Comments**  
No air monitoring required in August 2017

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--	--	--	--	--	--	--	--	--	--

**Comments**  
No corrections required in August 2017

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

			Select...					
--	--	--	-----------	--	--	--	--	--

**Comments**  
No exceedances in August 2017

--

EPL No.	20544	<b>EPL Monitoring Data</b>	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

<b>DETAILS</b>		
Location:	Month:	Year:
Cherrybrook Station	August	2017

<b>NOISE MONITORING DATA</b>							
Specific EPL licence monitoring conditions for noise monitoring:							
Condition L3.2 - Noise limits Condition							
Condition L4.2 - Exemptions to standard working hours							
Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends							
Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights							
Condition L4.6 - Additional works agreed outside of standard construction hours							
Condition M6.5 - Complaints							
Condition M7.1 - Other Monitoring Conditions							

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
CHB L1	1	Attended	Yes	Leq	68.1	68.1	75

**Comments**

CHB L1: Complaint monitoring during standard hours. 113 Castle Hill Road, Cherrybrook.  
Works occurring included - Bulk E/W Southside of box, Demo Works Southside Box, Concrete Crushing to make B30 material for backfill, Backfilling to RW11, 1350 Underbore, Piling Carpark (2x rigs), Concrete Coring in Box – to ensbale Underbore works, FRP and Pre-cast works in the box, New Substation enabling works. Site noise is noticeable during traffic respite reaching 55.2. Traffic noise is the dominant noise source. Can hear aeroplanes overhead as well as wildlife. Traffic reaching 76db along castle hill road.

<b>WATER MONITORING DATA</b>								
Specific EPL licence monitoring conditions for water monitoring:								
Condition L2 - Concentration Limits								
Condition M2 - Requirement to monitor concentration of pollutants discharged								

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
SB1	1	Yes	pH	pH	8.29	8.29	6.5	8.5
SB1	1	Yes	TSS	mg/L	40	40	0	50

**Comments**

SB1 discharges on the 03rd August 2017

<b>VIBRATION MONITORING DATA</b>							
Specific EPL licence monitoring conditions for vibration monitoring:							
Condition M6.5 - Complaints							
Condition M7.1 - Other monitoring conditions							

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

**Comments**  
 No vibration monitoring required in August 2017

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:  
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

**Comments**  
 No air monitoring required in August 2017

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

**Comments**  
 No corrections required in August 2017

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

**Comments**  
 No exceedances in August 2017

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Cheltenham Service Facility	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

		<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
<b>Comments</b>									
No exceedances in August 2017									

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Castle Hill Station	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA																				
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Monitoring location</th> <th style="width:10%;">Number of times monitored during the month</th> <th style="width:10%;">Event based monitoring (Y/N)</th> <th style="width:10%;">Parameter Measured</th> <th style="width:10%;">Unit of measurement</th> <th style="width:10%;">Min Value</th> <th style="width:10%;">Max Value</th> <th style="width:10%;">Allowable Max</th> <th style="width:10%;">Percentile Limit (eg 90th)</th> <th style="width:10%;">Percentile reporting period</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center;">Select...</td> <td style="text-align: center;">Select...</td> <td style="text-align: center;">Select...</td> <td style="text-align: center;"><input type="text"/></td> </tr> </tbody> </table>	Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period	<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period											
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>											

		Select...	Select...	Select...					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
<b>Comments</b>									
No exceedances in August 2017									

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Cudgegong Road Station	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

		Select...	Select...	Select...					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
<b>Comments</b>									
No exceedances in August 2017									

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Epping Service Facility	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA																				
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Monitoring location</th> <th style="width:10%;">Number of times monitored during the month</th> <th style="width:10%;">Event based monitoring (Y/N)</th> <th style="width:10%;">Parameter Measured</th> <th style="width:10%;">Unit of measurement</th> <th style="width:10%;">Min Value</th> <th style="width:10%;">Max Value</th> <th style="width:10%;">Allowable Max</th> <th style="width:10%;">Percentile Limit (eg 90th)</th> <th style="width:10%;">Percentile reporting period</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td>Select...</td> <td><input type="text"/></td> </tr> </tbody> </table>	Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period	<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>						
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period											
<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>											

		Select...	Select...	Select...					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
			Select...						
<b>Comments</b>									
No exceedances in August 2017									

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Kellyville Station	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA																				
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Monitoring location</th> <th style="width:10%;">Number of times monitored during the month</th> <th style="width:10%;">Event based monitoring (Y/N)</th> <th style="width:10%;">Parameter Measured</th> <th style="width:10%;">Unit of measurement</th> <th style="width:10%;">Min Value</th> <th style="width:10%;">Max Value</th> <th style="width:10%;">Allowable Max</th> <th style="width:10%;">Percentile Limit (eg 90th)</th> <th style="width:10%;">Percentile reporting period</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center;"><input type="text"/></td> <td style="text-align: center;">Select...</td> <td style="text-align: center;">Select...</td> <td style="text-align: center;">Select...</td> <td style="text-align: center;"><input type="text"/></td> </tr> </tbody> </table>	Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period	<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period											
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>											

		Select...	Select...	Select...					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
			Select...						
<b>Comments</b>									
No exceedances in August 2017									

<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Norwest Station	Month: August	Year: 2017

**NOISE MONITORING DATA**

Specific EPL licence monitoring conditions for noise monitoring:  
 Condition L3.2 - Noise limits Condition  
 Condition L4.2 - Exemptions to standard working hours  
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends  
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights  
 Condition L4.6 - Additional works agreed outside of standard construction hours  
 Condition M6.5 - Complaints  
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
		Select...	Select...	Select...			

**Comments**  
 No noise monitoring required in August 2017

**WATER MONITORING DATA**

Specific EPL licence monitoring conditions for water monitoring:  
 Condition L2 - Concentration Limits  
 Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
NW S.T	2	Yes	pH	pH	6.61	7.36	6.5	8.5
NW S.T	2	Yes	TSS	mg/L	6	8	0	50

**Comments**  
 Norwest Settling Tank discharges on the 14th and 31st August 2017

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:  
 Condition M6.5 - Complaints  
 Condition M7.1 - Other monitoring conditions

Monitoring location	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

	Number of times monitored during the month								
--	--------------------------------------------	--	--	--	--	--	--	--	--

Select...	Select...	Select...						
-----------	-----------	-----------	--	--	--	--	--	--

**Comments**  
No vibration monitoring required in August 2017

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:  
N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--------------------------------------------	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Select...	Select...	Select...						
-----------	-----------	-----------	--	--	--	--	--	--

**Comments**  
No air monitoring required in August 2017

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

--	--	--	--	--	--	--	--	--	--

**Comments**  
No corrections required in August 2017

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

			Select...					
--	--	--	-----------	--	--	--	--	--

**Comments**  
No exceedances in August 2017

--

EPL No.	20544	<b>EPL Monitoring Data</b>	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

<b>DETAILS</b>			
Location:	Month:	Year:	
Rouse Hill Station	August	2017	

<b>NOISE MONITORING DATA</b>
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
RSH L1	1	Attended	Yes	Leq	60.3	60.3	75
RSH L2	1	Attended	Yes	Leq	44	44	75
RSH L3	1	Attended	Yes	Leq	51.8	51.8	75

**Comments**

RSH L1: Standard Hours. 74 Petal Parkway, The Ponds. Works occurring included - FRP, service installation including backfill for station buildings. General comments included - Dominate noise sources during monitoring session is road traffic along Schofields Road and birds in the nearby trees. Construction noise from Rouse Hill station works inaudible.

RSH L2: Standard Hours. 58 Petal Parkway, The Ponds. Works occurring included - FRP, service installation including backfill for station buildings. General comments included - Can hear the occasional truck on Schofields Rd. Can hear residents moving around inside the property. Car going past monitoring spot at 11.26am. Plane flying over at 11.30am. Site noise inaudible.

RSH L3: Standard Hours. 35 Waterford Street Kellyville Ridge. Works occurring included - FRP, service installation including backfill for station buildings. General comments include - Road traffic from Old Windsor Road is the dominate noise source, site noise inaudible.

<b>WATER MONITORING DATA</b>
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
RH S.T	1	Yes	pH	pH	7.08	7.08	6.5	8.5
RH S.T	1	Yes	TSS	mg/L	24	24	0	50

**Comments**

Rouse Hill Settling Tank discharges on the 11th August 2017

<b>VIBRATION MONITORING DATA</b>									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b> No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b> No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b> No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
			Select...						
<b>Comments</b> No exceedances in August 2017									



<b>EPL No.</b>	20544	<b>EPL Monitoring Data</b>	
<b>Project</b>	Sydney Metro Northwest OTS Works		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location: Rapid Transit Rail Facility	Month: August	Year: 2017

NOISE MONITORING DATA
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No noise monitoring required in August 2017
----------------------------------------------------------------

WATER MONITORING DATA
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<b>Comments</b> No water monitoring required in August 2017
----------------------------------------------------------------

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

		Select...	Select...	Select...					
<b>Comments</b>									
No vibration monitoring required in August 2017									
<b>AIR MONITORING DATA</b>									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					
<b>Comments</b>									
No air monitoring required in August 2017									
<b>CORRECTION LOG</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<b>Comments</b>									
No corrections required in August 2017									
<b>EXCEEDANCES</b>									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
			Select...						
<b>Comments</b>									
No exceedances in August 2017									

EPL No.	20544	<b>EPL Monitoring Data</b>	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

<b>DETAILS</b>		
Location:	Month:	Year:
Showground Station	August	2017

<b>NOISE MONITORING DATA</b>
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
		Select...	Select...	Select...			

<b>Comments</b>
No noise monitoring required in August 2017

<b>WATER MONITORING DATA</b>
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
SB-A	1	Yes	pH	pH	8.48	8.48	6.5	8.5
SB-A	1	Yes	TSS	mg/L	3	3	0	50
SB-B	1	Yes	pH	pH	8.08	8.08	6.5	8.5
SB-B	1	Yes	TSS	mg/L	17	17	0	50

<b>Comments</b>
SB-A discharges on the 7th August 2017 SB-B discharges on the 28th August 2017

<b>VIBRATION MONITORING DATA</b>
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

**Comments**  
 No vibration monitoring required in August 2017

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:  
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

**Comments**  
 No air monitoring required in August 2017

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

**Comments**  
 No corrections required in August 2017

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

**Comments**  
 No exceedances in August 2017