

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Bella Vista Station	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Bella Vista Station to Kellyville Station	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location:	Month:	Year:
Cherrybrook Station	January	2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
CHB L1: OOH	1	Attended	Yes	Leq	47.8	47.8	65
Comments CHB L1: 2 Kayla Way, Cherrybrook. Out of Hours. Trenching/excavation, laying pipes, backfilling, asphaltting and final clean. Specific notifications in place for the works.							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
SB2	1	Yes	pH	pH	7.2	7.2	6.5	8.5
SB2	1	Yes	TSS	mg/L	29	29	0	50
Comments SB2 discharges on the 12th January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location			Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max		Percentile reporting period

	Number of times monitored during the month	Event based monitoring (Y/N)						Percentile Limit (eg 90th)	
		Select...	Select...	Select...					

Comments
No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...				Select...	

Comments
No exceedances in January 2018

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Cudgegong Road Station to Rapid Transit Rail Facility	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: <input type="text" value="Cheltenham Service Facility"/>	Month: <input type="text" value="January"/>	Year: <input type="text" value="2018"/>

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No noise monitoring required in January 2018"/>							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No water monitoring required in January 2018"/>								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location:	Month:	Year:
Castle Hill Station	January	2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
CSH L1: OOH	1	Attended	Yes	Leq	69	69	65
Comments CSH L1: 325 Old Northern Road, Castle Hill. Out of Hours. Western tower crane lifting activities. Noise measured was above modelled Leq since the works operated under a community agreement any complaints from stakeholders would have been taken into consideration.							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
		Select...	Select...	Select...				
Comments No water monitoring required in January 2017								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period	

	Number of times monitored during the month								
--	--	--	--	--	--	--	--	--	--

<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
----------------------	----------------------	-----------	-----------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No vibration monitoring required in January 2017

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
----------------------	----------------------	-----------	-----------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No air monitoring required in January 2017

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

<input type="text"/>									
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No correction logs required in January 2017

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

<input type="text"/>	<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>				
----------------------	----------------------	----------------------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No exceedances in January 2017

<input type="text"/>

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: <input type="text" value="Cudgegong Road Station"/>	Month: <input type="text" value="January"/>	Year: <input type="text" value="2018"/>

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No noise monitoring required in January 2018"/>							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No water monitoring required in January 2018"/>								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

<input type="text"/>					
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
<input type="text"/>	<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Epping Service Facility	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: <input type="text" value="Kellyville Station to Rouse Hill Station"/>	Month: <input type="text" value="January"/>	Year: <input type="text" value="2018"/>

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
 Condition L2 - Concentration Limits
 Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS

Location:	Month:	Year:
Kellyville Station	January	2018

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
KLV L1:	1	Attended	Yes	Leq	64	64	75

Comments

KLV L1: 1 Newbury Avenue, Kellyville. Standard Hours. Excavator digging trench line for 450 pipeline. Traffic of cars, trucks, buses from Old Windsor Road and Newbury Avenue were the dominant noise sources

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
KVB2	2	Yes	pH	pH	7.9	8.4	6.5	8.5
KVB2	2	Yes	TSS	mg/L	19	21	0	50
KVB3	2	Yes	pH	pH	8.3	8.4	6.5	8.5
KVB3	2	Yes	TSS	mg/L	20	22	0	50

Comments

KVB2 discharges on the 10th and 15th January 2018

KVB3 discharges on the 12th and 17th January 2018

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: <input type="text" value="Norwest Station"/>	Month: <input type="text" value="January"/>	Year: <input type="text" value="2018"/>

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No noise monitoring required in January 2018"/>							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments <input type="text" value="No water monitoring required in January 2018"/>								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text" value="Select..."/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Rouse Hill Station	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Rouse Hill Station to Cudgegong Road Station	Month: January	Year: 2018

NOISE MONITORING DATA							
Specific EPL licence monitoring conditions for noise monitoring: Condition L3.2 - Noise limits Condition Condition L4.2 - Exemptions to standard working hours Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights Condition L4.6 - Additional works agreed outside of standard construction hours Condition M6.5 - Complaints Condition M7.1 - Other Monitoring Conditions							
Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No noise monitoring required in January 2018							

WATER MONITORING DATA								
Specific EPL licence monitoring conditions for water monitoring: Condition L2 - Concentration Limits Condition M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments No water monitoring required in January 2018								

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

--	--	--	--	--	--

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
		Select...	Select...	Select...					

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
			Select...					

Comments
 No exceedances required in January 2018

--

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS		
Location: Rapid Transit Rail Facility	Month: January	Year: 2018

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:
 Condition L3.2 - Noise limits Condition
 Condition L4.2 - Exemptions to standard working hours
 Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends
 Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights
 Condition L4.6 - Additional works agreed outside of standard construction hours
 Condition M6.5 - Complaints
 Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>

Comments
 No noise monitoring required in January 2018

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:
 Condition L2 - Concentration Limits
 Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
SB2	1	Yes	pH	pH	8.5	8.5	6.5	8.5
SB2	1	Yes	TSS	mg/L	22	22	0	50

Comments
 SB2 discharges on the 23rd January 2018

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location		Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

	Number of times monitored during the month								
--	--	--	--	--	--	--	--	--	--

<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
----------------------	----------------------	-----------	-----------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No vibration monitoring required in January 2018

AIR MONITORING DATA

Specific EPL licence monitoring conditions for air monitoring:
 N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>				
----------------------	----------------------	-----------	-----------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No air monitoring required in January 2018

CORRECTION LOG

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

<input type="text"/>									
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No correction logs required in January 2018

EXCEEDANCES

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

<input type="text"/>	<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>				
----------------------	----------------------	----------------------	-----------	----------------------	----------------------	----------------------	----------------------	----------------------

Comments
 No exceedances in January 2018

<input type="text"/>

EPL No.	20544	EPL Monitoring Data	
Project	Sydney Metro Northwest OTS Works		
EPL Weblink:	http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&id=20544&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued		

DETAILS

Location: Month: Year:

NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB (A) for month	max value dB (A) for month	goals / targets dB(A)
SHW L1:OOH	1	Attended	Yes	Leq	77.7	77.7	65

Comments

SHW L1: 1Middleton Avenue, Castle Hill. Out of Hours. Concrete pour 1x concrete pump and Agi truck at the time of monitoring. Concrete pump is visible from behind noise wall. Concrete pour is inaudible. Traffic and birds chirping are the dominant noise source. During traffic respite concrete pump operating reaches 57dbA. Traffic peaks above 70dbA.

WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit
SB-B	1	Yes	pH	pH	8.13	8.13	6.5	8.5
SB-B	1	Yes	TSS	mg/L	20	20	0	50
SB-A	3	Yes	pH	pH	8.04	8.24	6.5	8.5
SB-A	3	Select...	TSS	mg/L	17	21	0	50

Comments

SB-B discharges on the 15th January 2018

SB-A discharges on the 10th, 12th and 13th January 2018

VIBRATION MONITORING DATA

Specific EPL licence monitoring conditions for vibration EPL monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments									
No vibration monitoring required in January 2018									
AIR MONITORING DATA									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
<input type="text"/>	<input type="text"/>	Select...	Select...	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments									
No air monitoring required in January 2018									
CORRECTION LOG									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Comments									
No correction logs required in January 2018									
EXCEEDANCES									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary	
<input type="text"/>	<input type="text"/>	<input type="text"/>	Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Comments									
No exceedances in January 2018									