

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

## DETAILS

Location: \_\_\_\_\_ Month: \_\_\_\_\_ Year: \_\_\_\_\_

## NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

**Comments**

## WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times	Event based monitoring	Parameter measured	Units of measurement	Minimum value for	Maximum value for	Allowable minimum	Allowable maximum

monitored during the month	(Y/N)	t (mg/L, NTU, pH)	month	month	limit	limit
----------------------------	-------	-------------------	-------	-------	-------	-------

Comments

VIBRATION MONITORING DATA									
Specific EPL licence monitoring conditions for vibration monitoring: Condition M6.5 - Complaints Condition M7.1 - Other monitoring conditions									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments

AIR MONITORING DATA									
Specific EPL licence monitoring conditions for air monitoring: N/A									
Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period

Comments



**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

## DETAILS

Location: Month: Year:

## NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

## WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit

---



---



---

**Comments**
**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**
**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

DETAILS		
Location:	Month:	Year:

### NOISE MONITORING DATA

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

### WATER MONITORING DATA

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L,	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit

during the month

NTU, pH)

Comments

**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

CORRECTION LOG									
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
Comments									

EXCEEDANCES								
Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
Comments								

<b>EPL No.</b>	<b>20544</b>	<b>EPL Monitoring Data</b>	
<b>Project</b>	<b>Sydney Metro Northwest OTS Works</b>		
<b>EPL Weblink:</b>	<a href="http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=20544&amp;id=20544&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>		

**DETAILS**

Location: \_\_\_\_\_ Month: \_\_\_\_\_ Year: \_\_\_\_\_

**NOISE MONITORING DATA**

Specific EPL licence monitoring conditions for noise monitoring:

Condition L3.2 - Noise limits Condition

Condition L4.2 - Exemptions to standard working hours

Condition L4.4 - Works Approved Outside of Standard Construction Hours – Weekends

Condition L4.5 - Works Approved Outside of Standard Construction Hours - Weekday evenings and nights

Condition L4.6 - Additional works agreed outside of standard construction hours

Condition M6.5 - Complaints

Condition M7.1 - Other Monitoring Conditions

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	min value dB(A) for month	max value dB(A) for month	goals / targets dB(A)

Comments

**WATER MONITORING DATA**

Specific EPL licence monitoring conditions for water monitoring:

Condition L2 - Concentration Limits

Condition M2 - Requirement to monitor concentration of pollutants discharged

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter measured	Units of measurement (mg/L, NTU, pH)	Minimum value for month	Maximum value for month	Allowable minimum limit	Allowable maximum limit

---



---



---

**Comments**
**VIBRATION MONITORING DATA**

Specific EPL licence monitoring conditions for vibration monitoring:

Condition M6.5 - Complaints

Condition M7.1 - Other monitoring conditions

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

**Comments**
**AIR MONITORING DATA**

Specific EPL licence monitoring conditions for air monitoring:

N/A

Monitoring location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter Measured	Unit of measurement	Min Value	Max Value	Allowable Max	Percentile Limit (eg 90th)	Percentile reporting period
---------------------	--	------------------------------	--------------------	---------------------	-----------	-----------	---------------	----------------------------	-----------------------------

Comments

**CORRECTION LOG**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Original result	Corrected Result	Date Corrected	Reasoning
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	-----------------	------------------	----------------	-----------

Comments

**EXCEEDANCES**

Sample Date and Time	Monitoring location	Type of monitoring (noise, water etc)	Event based monitoring (Y/N)	Parameter Measured (eg TSS, LAEq)	Unit (eg Mg/L)	Result	Allowable Limit	Commentary
----------------------	---------------------	---------------------------------------	------------------------------	-----------------------------------	----------------	--------	-----------------	------------

Comments