

NOISE Monitoring Data - Monthly Summary

Month	December 2018		
EPL Licence	20851	Project	Westconnex Enabling - Airport East Precinct
EPL weblink	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=110002&SYSUID=1&LICID=20851		
Specific EPL licence monitoring conditions for noise	Condition L2 - Noise limits		Condition L3 - Out of Hours Works

Monitoring location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laq (15min)	Min value dB(A) for month	Max value dB(A) for month	Goals / targets dB(A)	
1297 Botany Road	1	Attended	Y	Leq	64	64	70	<p>Observations Piling activity were intermittently audible. Continuous road traffic including heavy vehicles on Botany Road and Wentworth Avenue were audible. Construction works were intermittently audible during monitoring event with dominant noise source from road traffic. All relevant mitigation measures were in place for these works and alternative accomodation was offered. No community noise complaint received.</p>
1281 Botany Road	2	Attended	Y	Leq	63.7	73.7	70	<p>Observations Piling activity were intermittently audible. Dominant noise source from continuous road traffic. Alternative accommodation was offered during the period of works. No community noise complaint received.</p>