

EPL Environmental Monitoring Data

Project: Sydney Gateway Project

Document Number: SGWPW-JHSW-NWW-EN-RPT-059300

Reporting Period: June 2023

Date Published: 07 July 2023

Document Approval

Rev.	Date	Prepared by	Reviewed by	Approved by	Remarks
01	07/07/2023	A. Wray	J. Paul	R. Muir	For publication

Project Summary

The Sydney Gateway Road Project ('the Project') is a new direct high-capacity road connection linking the Sydney motorway network at St Peters interchange, where the M4 and M8 motorways meet, with Sydney Airport's domestic and international terminals and the Port Botany Precinct. John Holland Seymour Whyte have been contracted by Transport for New South Wales to design and construct the works for the Sydney Gateway Road Project. Figure 1 provides an overview of the Project.




Figure 1: Project Overview

Environmental Protection Licence and Reporting Requirements

John Holland Pty Ltd obtained the Environment Protection Licence (EPL No. 21524) from the NSW Environment Protection Authority for the Project on behalf of the John Holland Seymour (JHSW) Joint Venture. The licence is for construction works relating to road construction as defined under Schedule 1 of the *Protection of the Environment Operations Act, 1997* (POEO Act).

The licence describes monitoring and reporting requirements for the Works. The following report details environmental monitoring undertaken during this reporting month conducted in accordance with the EPL.

The EPL can be found by following the link below to the EPA's website: [ViewPOEOLicence.aspx\(nsw.gov.au\)](http://ViewPOEOLicence.aspx(nsw.gov.au))

Noise and Vibration Monitoring

Vibration

Vibration monitoring was undertaken during the reporting period, all works were deemed compliant. Table 1 contains the vibration monitoring data. Results were recorded below the adopted structural damage criteria on all occasions.

Noise

Noise monitoring was undertaken during the reporting period, all works were deemed compliant as the noise sources were predominantly dominated by background noise sources, local traffic and aircraft movements. Table 2 contains the noise monitoring results.

Discharge Water Quality Monitoring

Offsite discharge from the 30L/s WTP occurred during June 2023. All discharges were compliant. See Table 3 for sample results.

Landfill Gas and Gas Accumulation Monitoring

No landfill gas and gas accumulation monitoring was undertaken during the June 2023 monitoring period as sampling requirements are quarterly, the next round of sampling will be reported in the August 2023 EPL Monitoring Data Report.

Table 1: Vibration Monitoring Data

Monitoring Location	Monitoring Date	Attended or Continuous Monitoring	Measured VDV (m/s ^{1.75})	VDV Target (m/s ^{1.75})	VDV Compliant	Measured PPV (mm/s)	PPV Target (mm/s)	PPV Compliant	Comment/Field Observations
5 Wentworth Street, Tempe	02/06/2023	Attended	0.07	0.4	Yes	0.1	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.
6 Smith Street, Tempe	15/06/2023	Attended	0.11	0.4	Yes	0.17	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.
2 Bellevue Street, Tempe	15/06/2023	Attended	0.12	0.4	Yes	0.18	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.
4 Hart St, Tempe	30/06/2023	Attended	0.08	0.4	Yes	0.12	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.
5 Smith Street, Tempe	30/06/2023	Attended	0.12	0.4	Yes	0.19	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.
3 Bellevue Street, Tempe	30/06/2023	Attended	0.08	0.4	Yes	0.12	25	Yes	Works were monitored and found to be compliant with structural criteria and human comfort criteria.

Note:

1. VDV – Vibration Dose Value
2. PPV – Peak Particle Velocity

Table 2: Noise Monitoring Data

Monitoring Location (Noise-Catchment Area, Street, Suburb)	Monitoring Date	Attended or Continuous Monitoring	Parameter	Measured Value dB(A)	Goals / Targets dB(A)	Project OOHW Compliance	Comments/Field Observations
5 Wentworth Street, Tempe (NCA_03)	02/06/2023	Attended	LAeq 15 min	64.6	66	Compliant	Traffic from Princes Highway, aeroplanes and background noise from Tempe Lands Park were the dominant noise sources throughout the monitoring period. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant
1 Fanning Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	68.3	52	Compliant	Traffic from South Street and Fanning Street and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
3 Barden Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	65.6	52	Compliant	Traffic from South Street and Barden Street and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
1 Barden Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	55.3	37	Compliant	Traffic from Princes Highway and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
2 Fanning Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	65	39	Compliant	Traffic from Princes Highway and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
5 Fanning Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	60.5	40	Compliant	Traffic from Princes Highway and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
1 Barden Street, Tempe, (NCA_03)	07/06/2023	Attended	LAeq 15 min	60.4	39	Compliant	Traffic from Princes Highway was the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
6 Smith Street, Tempe, (NCA_03)	15/06/2023	Attended	LAeq 15 min	61.7	69	Compliant	Traffic from Princes Highway and aeroplanes were the dominant noise sources. Sydney Gateway works were compliant with predicted noise levels.
2 Bellevue Street, Tempe, (NCA_02)	15/06/2023	Attended	LAeq 15 min	69.1	56	Compliant	Traffic from Princes Highway and Bellevue Street were the dominant noise sources and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
6 Smith Street, Tempe, (NCA_03)	16/06/2023	Attended	LAeq 15 min	50	37	Compliant	Traffic from Princes Highway was the dominant noise sources and reason for exceedance. Sydney Gateway

							works were inaudible throughout monitoring period. Sydney Gateway works compliant.
2 Bellevue Street, Tempe, (NCA_02)	16/06/2023	Attended	LAeq 15 min	54.1	37	Compliant	Traffic from Princes Highway was the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
4 Station Street, Tempe, (NCA_03)	23/06/2023	Attended	LAeq 15 min	59.0	37	Compliant	Aeroplanes and background noise from Tempe Lands Park were the dominant noise sources throughout the monitoring period and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
10 Barden Street, Tempe, (NCA_03)	23/06/2023	Attended	LAeq 15 min	58.9	35	Compliant	Traffic from Barden Street and aeroplanes were the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
5 Mary street, St Peters, (NCA_01)	23/06/2023	Attended	LAeq 15 min	67.6	50	Compliant	Traffic from Princes Highway and Mary Street were the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
53 Barwon Park Road St Peters, (NCA_00)	24/06/2023	Attended	LAeq 15 min	61.4	42	Compliant	Traffic from Campbell Road was the dominant noise source and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
1 Hart Street, Tempe, (NCA_03)	24/06/2023	Attended	LAeq 15 min	46.1	33	Compliant	Background noise from Tempe Lands Park was the dominant noise source throughout the monitoring period and reason for exceedance. Sydney Gateway works were compliant with predicted noise levels.
4 Hart Street, Tempe, (NCA_03)	30/06/2023	Attended	LAeq 15 min	53.0	64	Compliant	Traffic from South Street and Hart Street were the dominant noise sources. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.
5 Smith Street, Tempe, (NCA_02)	30/06/2023	Attended	LAeq 15 min	58.4	69	Compliant	Traffic from Princes Highway was the dominant noise source. Sydney Gateway works were compliant with predicted noise levels.
3 Bellevue Street, Tempe	30/06/2023	Attended	LAeq 15 min	69.1	62	Compliant	Traffic from Princes Highway and Bellevue Street were the dominant noise sources and reason for exceedance. Sydney Gateway works were inaudible throughout monitoring period. Sydney Gateway works compliant.

Note:

1. LAeq (15min) - The A-weighted equivalent continuous (energy average) A-weighted sound pressure level over a 15-minute period.
2. dBA - Decibels using the A-weighted scale measured according to the frequency of the human ear.

Table 3: WTP Discharge Monitoring Data

Analyte	Units	Limit	19/06/2023	Comments
pH	pH Unit	7 - 8.5	7.73	Compliant
Turbidity	NTU	10	1.6	Compliant
Arsenic (iii)	mg/L	0.0023	<0.001	Compliant
Arsenic (V)	mg/L	0.0045	<0.001	Compliant
Barium (Dissolved)	mg/L	2	0.002	Compliant
Cadmium (dissolved)	mg/L	0.0055	<0.0001	Compliant
Copper (dissolved)	mg/L	0.003	<0.001	Compliant
Cobalt (dissolved)	mg/L	0.014	<0.001	Compliant
Nickel (dissolved)	mg/L	0.07	<0.001	Compliant
Lead (dissolved)	mg/L	0.0066	<0.001	Compliant
Zinc (Dissolved)	mg/L	0.023	<0.005	Compliant
Manganese (dissolved)	mg/L	0.08	<0.001	Compliant
Boron	mg/L	5.1	0.59	Compliant
Iron (dissolved)	mg/L	0.3	<0.05	Compliant
Mercury (dissolved)	mg/L	0.0004	<0.0001	Compliant
Chromium (Trivalent)	mg/L	0.049	<0.01	Compliant
Chromium (hexavalent)	mg/L	0.02	<0.01	Compliant
Ammonia	mg/L	1.2	<0.1	Compliant
Nitrate + nitrite (oxidised nitrogen)	mg/L	0.015	<0.002	Compliant
Nitrogen (total)	mg/L	0.3	0.27	Compliant
Phosphorus (total)	mg/L	0.03	0.02	Compliant
TPH C10-C36 Fraction	µg/L	600	<50	Compliant
TPH C6-C9 Fraction	µg/L	150	120	Compliant
Ethylbenzene	µg/L	110	<2	Compliant
m-Xylene	µg/L	100	<2	Compliant
p-Xylene	µg/L	250	<2	Compliant
o-Xylene	µg/L	470	<2	Compliant
Naphthalene	µg/L	70	<5	Compliant
Anthracene	µg/L	0.4	0.1	Compliant
Benzo(a)pyrene	µg/L	0.2	0.05	Compliant
Fluoranthene	µg/L	1.4	0.1	Compliant
Phenanthrene	µg/L	2	0.1	Compliant
Perfluorooctane sulphonate (PFOS)	µg/L	0.13	0.01	Compliant
Perfluorooctanoic acid (PFOA)	µg/L	220	0.01	Compliant